

## CERTIFICATE OF CONSTANCY OF PERFORMANCE

Issued by DBI Certification, notified body No. 2531.

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Avanti Solo 1100, Zenith/Business T 371, Avanti Plain/ Business T 301, Avanti Pixel /Business T 302, Airport and Couture all with textile**

for application as flooring,

produced by or for

**Fletco Carpets A/S  
Mads Clausensvej 2  
DK-7430 Ikast**

and produced in the manufacturing plant (s)

**CXA10111**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 14041:2004 : Resilient, textile and laminate floor coverings – Essential**  
**EN 14041:2004/AC:2006 characteristics**

under system 1 are applied and that the product fulfils (products fulfil) the essential characteristic of **reaction to fire: Class C<sub>fl</sub>-s1.**

The attached 2 annexes forms part of this certificate.

This certificate was issued on **2014-08-01** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonized standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

(This certificate supersedes the previous version of this certificate, issued 2013-02-25 by NB 0845.)



Tom Nisted



Merete Poulsen

The certificate should only be reproduced extenso  
– in extracts only with a written agreement with DBI Certification A/S.

**DBI Certification A/S**

Jernholmen 12, 2650 Hvidovre  
Tlf.: 36 34 90 90

E-mail: [info@dbicertification.dk](mailto:info@dbicertification.dk)  
[www.dbicertification.dk](http://www.dbicertification.dk)



**DANAK**  
Prod. Reg. Nr. 7023

Version 2014-07-30  
Page **1** of **3**

## EXTENT

Type	Description
<p>Avanti Solo 1100, Zenith/Business T 371, Avanti Plain/ Business T 301, Avanti Pixel/Business T 302, Airport and Couture all with textile</p> <p>Field of application</p>	<p>Tufted carpet with cut loop pile.</p> <p>Pile: 100 % polyamide, 1000 to 1100 g/m<sup>2</sup></p> <p>Rear side: textile</p> <p>Total height: 6.5 to 11.0 mm</p> <p>Pile height: 3.5 to 9.0 mm</p> <p>Total weight: 2200 to 2500 g/m<sup>2</sup></p> <p>The carpet is to be adhered to a substrate of classes A1 or A2-s1,d0 at least 6 mm thick and with density equal to or greater than 1350 kg/m<sup>3</sup> with a polyacrylate-copolymer dispersion glue; application rate: 300 to 350 g/m<sup>3</sup> (wet).</p>

The certificate should only be reproduced extenso  
– in extracts only with a written agreement with DBI Certification A/S.

### DBI Certification A/S

Jernholmen 12, 2650 Hvidovre  
Tlf.: 36 34 90 90

E-mail: [info@dbicertification.dk](mailto:info@dbicertification.dk)  
[www.dbicertification.dk](http://www.dbicertification.dk)



DANAK  
Prod. Reg. Nr. 7023

Version 2014-07-30  
Page 2 of 3

**TEST DOCUMENTATION**

<b>Accredited Laboratory</b>	<b>Report no.</b>	<b>Date</b>
DBI	PF12571	2007-03-14
DBI	PFA10031a	2011-08-12
DBI	PFA10031b	2011-08-12
DBI	PFA10234	2012-09-26
DBI	PC10114	2013-02-18

**TECHNICAL BASIS**

<b>Designation</b>	<b>Identification</b>	<b>Date</b>
Product specification Avanti Solo 1100, Zenith/Business T 371 and Avanti Pixel/Business T 302 all with textile		2011-08-15
Product specification Airport with textile		2011-12-02
Product specification Couture with textile		2012-10-17
Product specification Avanti Plain/ Business T 301 with textiles		2013-02-25
Supplementary information		2007-04-26

The certificate should only be reproduced extenso  
– in extracts only with a written agreement with DBI Certification A/S.

**DBI Certification A/S**

Jernholmen 12, 2650 Hvidovre  
Tlf.: 36 34 90 90

E-mail: [info@dbicertification.dk](mailto:info@dbicertification.dk)  
[www.dbicertification.dk](http://www.dbicertification.dk)

**DANAK**  
Prod. Reg. Nr. 7023

Version 2014-07-30  
Page **3** of **3**