

TARALAY IMPRESSION



Gerflor[®]
theflooringgroup

Sign your space with Taralay Impression

HARMONY AND DIVERSITY

UNLIMITED CHOICE: **Over 100 colours**

EXCLUSIVE EFFECTS: More realistic, ultra-matt wood

COMPLETE HARMONY WITHIN BUILDINGS:

- All references available in compact and comfort (except Taralay Uni Comfort).
- Completely coordinated floors and staircases: See our complete stairs systems with Tarastep (integral solution) and stair nosing offer

CUSTOMISATION ON REQUEST: Select the colour of your choice in the GRAFY design to personalise your project

PRINTED HETEROGENEOUS FLOOR COVERINGS FOR UNRIVALLED TECHNICAL PERFORMANCE

THE BEST INDENTATION AND ACOUSTIC PERFORMANCE:

- **Comfort: 0.08mm** - 19 dB
- **Compact: 0.03mm** - 8 dB

EASY CLEAN: ProtecSol® treatment reduces cleaning time and costs.
No need for wax.

INCREASED RESISTANCE TO HEAVY TRAFFIC AND WEAR

- **Durable: Group T wear rating**
- Calendered wear layer on Taralay Uni Comfort: **unrivalled durability**

IMPROVED EASE OF MOVEMENT:

- VHD (**Very High Density**) **foam** ensures easy movement of heavy loads, with 10% less pushing force required compared with other products available on the market.

ENVIRONMENTAL RESPONSIBILITY

CONTRIBUTES TO INDOOR AIR QUALITY:

- Improved TVOC performance: **< 70 µg/m³ after 28 days**
- Products comply with German regulations (AgBB protocol).
Contribution to the environmental quality of the building (HQE process).
- Products are Floorscore™ certified. Contribution to LEED™ certification
- **Products classified as A+** (sanitary labelling under the French Grenelle environmental law)

RAW MATERIALS:

- **Fully compliant with** REACH regulations
- Products available in **phthalate free version** on request
- Use of water-based, recycled ink (no solvents)

RECYCLING: SECOND LIFE PROGRAMME

- **Recycling of installation waste:** laying offcuts (by Gerflor) are collected and recycled at our factories to produce intermediate layers or backing for our floor coverings.
- **Collecting and Recycling of end of life product before renovation (in partnership with Sols PVC Pro) :** it is collected and recycled at the AgPR recycling centre to make **Second Life** products.

To set up a recycling agreement, contact us by email at secondlife@gerflor.com

LIFE-CYCLE ANALYSIS:


- 30% reduction in energy consumption during manufacturing
- Reduced water and detergent consumption with ProtecSol® treatment



Sign your space with Taralay Impression

DIVERSION	P. 05	NEW CEMENTO	P. 16
NEW UNI	P. 06	RENZO	P. 17
NEW WINDY	P. 07	NEW INFINITY	P. 18
LABYRINTH	P. 08	NEW ESTEREL	P. 19
NEW PAINTY	P. 9	BAMBOO	P. 20
CUBIST	P. 10	WALNUT	P. 21
NEW FANTASY	P. 11	NEW HABANA	P. 22
NEW TWEEDY	P. 12	OTTAWA	P. 23
NEW FIBER	P. 13	BLADE	P. 23
PAPYRUS	P. 14	NEW LOFT	P. 24
URBAN	P. 15	NOMA	P. 25

**ALL REFERENCES AVAILABLE IN COMFORT & COMPACT VERSIONS
EXCEPT TARALAY UNI COMFORT**




*Scale reduction for designs.
The images of floorcoverings in this catalogue
have been reproduced as faithfully as printing
technology permits.*

NEW




0600 Clémentine



0595 Grenade




0596 Mimosa



0516 Bordeaux



0515 Kiwi




0597 Atlantique



0047 Ivoire




0046 Argile



DIVERSION




NEW



6248 Steel




6255 Linen




6243 Bark



6242 Clay



6258 Marble



6244 Pearl



6251 Fire



6257 Pumpkin



6250 Jonquil



6254 Apple



6252 Red Current



6245 Atoll




6247 Caribbean



6253 Parme




UNI



0668 Yellow



0669 Orange




0667 Green




0670 Blue



0675 Pastel Green



0676 Pastel Blue



0677 Pastel Pink

NEW



WINDY





0527 Blue



0598 Orange




0541 Purple




1714 White



1717 Grey




1715 Taupe



1716 Black

NEW



LABYRINTH

NEW




0654 Métal



0656 Ceramic



0655 Glass



0653 Paper



PAINTY



1721 Grey



1718 White



1719 Taupe



1720 Black




CUBIST


NEW




0658 Tahoma



0657 Arial



0659 Calibri



0662 Roman



FANTASY




NEW



0546 Dark




0545 Natural



TWEEDY

NEW



0666 Silk




0665 Cotton




Fiber design : invisible welding rod



FIBER




0013 Gizeh



0002 Thot



0010 Amset



0003 Seth



PAPYRUS




0037 Souris



0035 Gris



0038 Pierre



0036 Ciment



URBAN






NEW



0523 Genova



0526 Parma



0543 Brescia



0524 Capri



0525 Modena




0544 Bari




CEMENTO

Wood




0068 Pecan




0069 Noisette



No plank
Continued design



0025 Taupe



0024 Chamois



RENZO

Wood



NEW



0679 Clear



0680 Greige




No plank
Continued
design




INFINITY

Wood

NEW



0539 Exotic



0518 Chocolate




10 cm



ESTEREL

Wood




0366 Tea




BAMBOO

Wood



NEW
0528 Cream



1314 Brown



10 cm



WALNUT


Wood



NEW



0538 Vinales



0522 Trinidad



HABANA

Wood



0592 Poplar

OTTAWA




0367 Clear

BLADE


Wood



NEW



0671 Light Brown



0672 White

11,2 /
14,2 /
8,7 /
6,4 cm




LOFT

Wood

NEW



0520 Black



0519 Beige



16,6 cm



0373 Ice



0371 Rustic



NOMA

TECHNICAL DATA



TARALAY IMPRESSION COMPACT	TARALAY IMPRESSION COMFORT	TARALAY UNI COMFORT
Wood / Cemento / Cubist / Diversion / Fantasy / Fiber / Labyrinth / Painty / Papyrus / Tweedy / Urban / Windy	Wood / Cemento / Cubist / Diversion / Fantasy / Fiber / Labyrinth / Painty / Papyrus / Tweedy / Urban / Windy	Uni

DESCRIPTION

Total thickness	EN 428	mm	2.00	3.35	3.00
	ASTM F386-02	inch	0,08	0,13	0,12
Wearlayer thickness	EN 429	mm	0.70	0.65	0.65
	ASTM F410-02	inch	0,03	0,03	0,03
Weight	EN 430	g/sq.m	2635	2825	2300
	-	lbs/sq.ft	0,54	0,58	0,47
Width of sheet	EN 426	cm	200	200	200
	-	feet - inch	6'6"	6'6"	6'6"
Length of sheet	EN 426	lm	25	25	25
	-	feet - inch	82'	82'	82'

CLASSIFICATION

Norm / Product specification	-	-	EN 649	EN 651	EN 651
	ASTM F1303-04	-	in progress	in progress	in progress
European classification	EN 685	class	34-43	34-42	34-42
Fire rating	EN 13501-1	class	Bfl-s1	Bfl-s1	Cfl-s1
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2
Slip resistance ⁽¹⁾	DIN 51 130	class	R10	R10	R10

PERFORMANCES

Wear resistance	EN 660.2	mm³	≤ 2.0	≤ 2.0	≤ 2.0
Wear group	EN 649 / EN 651	-	T	T	T
Type binder content	ISO 10582	type	I	-	-
Dimensional stability	EN 434	%	≤ 0.40	≤ 0.40	≤ 0.40
Impact sound insulation	EN ISO 717-2	dB	8	19	17
Residual indentation (requirement)	EN 433	mm	≤ 0.10	≤ 0.20	≤ 0.20
Residual indentation (measure)	-	mm	≈ 0.03	≈ 0.08	≈ 0.11
Castor chair test (type W)	EN 425	-	OK	OK	OK
Thermal conductivity	EN 12 524	W/(m.k)	0.25	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	Protecsol®	Protecsol®	Protecsol®
Chemical products resistance ⁽²⁾	EN 423	-	OK	OK	OK
Treatment	-	-	Sanosol®	Sanosol®	Sanosol®
Anti-bacterial activity [E. coli - S. aureus - MRSA] ⁽³⁾	ISO 22196	-	> 99.9% inhibits growth	> 99.9% inhibits growth	> 99.9% inhibits growth

ENVIRONMENT / INDOOR QUALITY AIR

TVOC after 28 days	ISO 16000-6	µg/m³	<70	<70	<70
Certification	-	-	Floorscore™	Floorscore™	Floorscore™

MARQUAGE CE

CE	EN 14041			

[1] For lifetime sustainable wet resistance, please refer to Tarasafe ranges.

[2] Regarding the resistance to chemicals, please download the corresponding leaflet from our website.

[3] The implementation of an effective cleaning regime is the most important defence against infection.

NCS / WELDING ROD / LRV

DESIGNS	COLORS		NCS	Welding rod		LRV
BAMBOO	0366	TEA	3010-Y50R	0585	2142	25,5
BLADE	0367	CLEAR	2010 - Y40R	0585	0896	34,1
CEMENTO	0544	BARI	7010-Y50R	0585	2756	10,0
CEMENTO	0543	BRESCIA	4502-Y	0585	2227	33,8
CEMENTO	0524	CAPRI	5010-Y30R	0585	2757	21,3
CEMENTO	0523	GENOVA	3005-Y50R	0585	2758	44,1
CEMENTO	0525	MODENA	7005-Y50R	0585	2629	13,3
CEMENTO	0526	PARMA	3010-Y30R	0585	2144	46,1
CUBIST	1720	BLACK	8000-N	0585	2252	6,3
CUBIST	1719	TAUPE	5005-Y50R	0585	2341	21,0
CUBIST	1721	GREY	3500-N	0585	0199	38,9
CUBIST	1718	WHITE	1002-Y	0585	2645	71,7
DIVERSION	0046	ARGILE	3005-Y20R	0585	0645	38,6
DIVERSION	0597	ATLANTIQUE	3050-R90B	0585	2755	21,4
DIVERSION	0516	BORDEAUX	4040-R20B	0585	2751	10,8
DIVERSION	0600	CLEMENTINE	1080-Y40R	0585	2753	36,3
DIVERSION	0595	GRENADE	2070-Y90R	0585	2754	17,0
DIVERSION	0047	IVOIRE	1502-Y	0585	0673	60,7
DIVERSION	0515	KIWI	2050-G70Y	0585	2750	45,0
DIVERSION	0596	MIMOSA	1060-Y20R	0585	2390	56,2
ESTEREL	0518	CHOCOLATE	6005-Y50R	0585	2245	16,3
ESTEREL	0539	EXOTIC	6020-Y70R	0585	2759	10,7
FANTASY	0657	ARIAL	1502-Y	0585	2760	53,5
FANTASY	0659	CALIBRI	6500-N	0585	2761	19,5
FANTASY	0662	ROMAN	4005-Y20R	0585	2762	26,2
FANTASY	0658	TAHOMA	2502-Y	0585	2764	43,9
FIBER	0665	COTTON	3005-Y20R	0585	2253	48,6
FIBER	0666	SILK	4005-Y50R	0585	2143	29,2
HABANA	0522	TRINIDAD	5010-Y30R	0585	2481	25,6
HABANA	0538	VINALES	3010-Y30R	0585	0094	38,5
INFINITY	0679	CLEAR	3005-Y20R	0585	0386	42,7
INFINITY	0680	GREIGE	4005-Y20R	0585	2782	30,2
LABYRINTH	1716	BLACK	8000-N	0585	2427	5,5
LABYRINTH	0527	BLUE	2050-B20G	0585	2767	36,4
LABYRINTH	1717	GREY	4000-N	0585	0199 / 0021	34,8
LABYRINTH	0598	ORANGE	1070-Y70R	0585	2768	25,8
LABYRINTH	0541	PURPLE	2040-R40B	0585	2769	22,4
LABYRINTH	1715	TAUPE	5502-R	0585	2341 / 2237	19,3
LABYRINTH	1714	WHITE	1505-Y10R	0588	0097	64,0
LOFT	0671	LIGHT BROWN	3010-Y30R	0585	2484	38,7
LOFT	0672	WHITE	2002-Y	0585	2599	50,7
NOMA	0519	BEIGE	5005-Y20R	0585	2641	28,5
NOMA	0520	BLACK	7502-R	0585	2770	11,3
NOMA	0373	ICE	2002 - Y50R	0585	0580	53,1
NOMA	0371	RUSTIC	4010 - Y50R	0585	2336	25,4

DESIGNS	COLORS		NCS	Welding rod		LRV
OTTAWA	0592	POPLAR	2030 - Y30R	0585	0485	40,0
PAINTY	0656	CERAMIC	5005-Y20R	0585	2261	21,5
PAINTY	0655	GLASS	3005-Y20R	0585	2771	36,9
PAINTY	0654	METAL	5000-N	0585	2772	24,0
PAINTY	0653	PAPER	1002-Y	0585	2645	69,8
PAPYRUS	0010	AHMSET	6010-Y50R	0585	0257	18,1
PAPYRUS	0013	GIZEH	3502-Y	0585	0186	41,1
PAPYRUS	0003	SETH	3020-Y30R	0585	0896	37,7
PAPYRUS	0002	THOT	2005-Y20R	0585	0501	59,2
RENZO	0024	CHAMOIS	3020-Y30R	0585	0896	35,0
RENZO	0069	NOISETTE	7010 - Y30R	0585	2340	14,2
RENZO	0068	PECAN	5005 - Y20R	0585	2341	21,4
RENZO	0025	TAUPE	6500 - N	0585	0135	14,5
TWEEDY	0546	DARK	5502-R	0585	2347	17,2
TWEEDY	0545	NATURAL	2502-Y	0585	0626	45,2
UNI	6254	APPLE	0575-G70Y	0585	2782	59,1
UNI	6245	ATOLL	1060-B	0585	2795	33,2
UNI	6243	BARK	5005-Y20R	0585	2796	24,2
UNI	6247	CARRIBEAN	1050-B20G	0585	2793	36,8
UNI	6242	CLAY	3005-Y20R	0585	2797	37,1
UNI	6251	FIRE	1080-Y70R	0585	2792	23,9
UNI	6250	JONQUIL	0560-Y20R	0585	2783	55,6
UNI	6255	LINEN	2002-Y	0585	2788	52,4
UNI	6258	MARBLE	1502-Y	0585	2786	60,6
UNI	6253	PARME	2040-R40B	0585	2790	30,4
UNI	6244	PEARL	1002-Y	0585	2794	72,3
UNI	6257	PUMPKIN	1070-Y50R	0585	0566	29,4
UNI	6252	RED CURRANT	1080-Y90R	0585	2789	16,0
UNI	6249	SLATE	8000-N	0585	2785	9,0
UNI	6248	STEEL	4500-N	0585	2784	28,0
URBAN	0036	CIMENT	5005-Y80R	0585	0109	22,2
URBAN	0035	GRIS	5502-R	0585	0016	24,1
URBAN	0038	PIERRE	3005-Y50R	0585	0645	37,0
URBAN	0037	SOURIS	3502-R	0585	2190	34,8
WALNUT	1314	BROWN	5020-Y50R	0585	2486	18,2
WALNUT	0528	CREAM	2005-Y40R	0585	0242	49,0
WINDY	0670	BLUE	2060-B	0585	0166	22,9
WINDY	0667	GREEN	1075-G70Y	0585	2781	60,5
WINDY	0669	ORANGE	1080-Y60R	0585	2780	28,6
WINDY	0676	PASTEL BLUE	1040-R80B	0585	0500	39,7
WINDY	0675	PASTEL GREEN	1040-G30Y	0585	0466	53,5
WINDY	0677	PASTEL PINK	1040-R40B	0585	2778	38,0
WINDY	0668	YELLOW	1070-Y10R	0585	2779	53,6

Accessories

COMPLETE FLOOR, WALL AND PROTECTION SOLUTION

▷ COMPLETE SAFETY
LINEA'TOUCH
handrail

▷ COMPLETE PROTECTION
MURAL ULTRA combined
with LINEA'PUNCH bumper


▷ COMPLETELY
WATERPROOF
Perfect hot-welded
joint between floor
and wall to reduce
bacterial growth

▷ COMPLETELY HYGIENIC

- Skirtings: No areas where particles or bacteria can stagnate
- Easy clean



Combination: TARALAY IMPRESSION / MURAL ULTRA






For further information, see the SPM
and «Commercial flooring solutions»
catalogues.

STAIRCASE SOLUTIONS

▷ STAIR NOSING

100% landing/stair harmony - compatible with straight and rounded angles



▷ TARASTEP

A complete range of steps with contrasted nosing



ACCESSIBILITY SOLUTIONS


▷ WARNING STRIPS

Weldable tactile strip



Formats: 400 x 1350 mm / 400 x 2000 mm

Self-adhesive tactile tile



Formats: 420 x 450 mm / 420 x 820 mm

Self-adhesive tactile studs



Format: 5 h x 25 Ø mm

▷ ORIENTATION STRIPS

Linear guiding strip



Format: 600 x 150 mm

Vibration guiding strip



Format: 600 x 150 mm



For further information, see the «A global solution for accessibility» brochure

SERVICES

GERFLOR, THE PARTNER FOR ALL YOUR PROJECTS!

TRAINING CENTRE OPEN TO ALL PROFESSIONALS

Dedicated to training young professionals and providing CPD for experienced professionals.

MADE-TO-MEASURE TECHNICAL SUPPORT

Our technicians will come to you to provide on-site support.

RECOGNISED EXPERTISE

Take advantage of our expertise and let us help you create a complete floor and wall solution.

WIDE RANGE OF ACCESSORIES



handrails



wall coverings
and protection



entrance
mats



skirtings



MAKE LIFE EASIER WITH OUR EXPRESS DEPARTMENT

If you have technical questions or would like to request samples or documentation, contact:

By email: gerflorcontract@gerflor.com

By phone: **+33(0) 474 054 000**

By fax: **+33(0) 474 050 313**

SECOND LIFE PROGRAMME: taking recycling further

At your request, we can collect and recycle your removed flooring and laying offcuts.

ONLINE SERVICE

In just a few clicks, you'll find a whole range of tools to make your life easier on our web site.



WELDING ROD AND FLOORING MATCHING TOOL

[http://www.gerflor.com/services/
professionals/welding-rods-matching.html](http://www.gerflor.com/services/professionals/welding-rods-matching.html)



VIRTUAL LIBRARY

See our documentation on line.
[http://www.gerflor.com/services/
professionals/virtual-library.html](http://www.gerflor.com/services/professionals/virtual-library.html)

DESIGN STUDIO: REAL-TIME SIMULATIONS

Interior Designer

Choose your interior, insert your Gerflor floor covering and see the finished effect in situ on:

[http://www.gerflor.com/services/
professionals/interior-designer.html](http://www.gerflor.com/services/professionals/interior-designer.html)

3D Court Designer

Choose the configuration and colours of your court, insert your marking and see your surface in 3D on:

[http://www.gerflor.com/services/
professionals/3d-sport-court-designer.html](http://www.gerflor.com/services/professionals/3d-sport-court-designer.html)

My Taralay

This GERFLOR exclusive service gives you freedom to create your own floor covering for unique interior design projects. There are up to 400,000 possible combinations on:
[http://www.gerflor.com/services/
professionals/mygerflor.html](http://www.gerflor.com/services/professionals/mygerflor.html)

ASIA: Gerflor Asia
Tel: +852 9222 6355 - Fax: +852 3006 1449
e-mail: gerflorasias@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty. Ltd
Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH
Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbe@gerflor.com

CANADA: Gerflor International
Tel: +1 438 333 0752 - Fax: +1 438 380 5425
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor floorings (China) Co. Ltd.
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

FINLAND: Gerflor Oy
Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152
e-mail: info@gerflor.fi

FRANCE: Gerflor - Service Express:
 

e-mail: contactfrance@gerflor.com

GERMANY: Gerflor Mipolam GmbH
Tel: +49 (0)22 41-25 30-0
e-mail: gerflormipolam@gerflor.com
Kunden-Service
Tel: +49 (0) 22 41-25 30-136 - Fax: +49 (0) 22 41-25 30-100
e-mail: kundenservice@gerflor.com
SAT Service und Anwendungstechnik
tel: +49 (0)22 41-25 30 555 - Fax: +49 (0)22 41-25 30 550
e-mail: technik@gerflor.com

IRELAND: Gerflor Ltd
Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerflorirl@gerflor.com

ITALY: Gerflor S.p.A.
Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerfloritalia@gerflor.com

LATIN AMERICA (Brazil): Gerflor América Latina
Tel: +55 11 38 48 20 20
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East
Tel: +966 3 847 1779 - Fax: +966 3 847 1781
e-mail: gerflorME@gerflor.com

NETHERLANDS: Gerflor Benelux
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor zao
Tel./Fax: + 7 495 785 23 71
e-mail: gerflorussia@gerflor.ru

SCANDINAVIA: Gerflor Scandinavia a.s.
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no

SPAIN: Gerflor Iberia, SA
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd
Sample service: Contractuk@gerflor.com
Office Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

USA: Gerflor North America
Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753
e-mail: info@gerflorusa.com

gerflor.com

ARCHITECTURE
DECORATION
SPORT
TECHNOSPECIFIC

RC Lyon B 726 580 152 - jpe - Printed in CEE 209 406 - 03/2014 - Prix indicatif documentation : 2,20€

Gerflor. Don't forget our complementary ranges!



Handrails



Wall Coverings
& Protections



Entrance mats



Skirtings & Profiles

and Be **CONNECTED!**



www.gerflor.com



Gerflor
theflooringgroup